

1000 WORKHORSE

PROPANE FLOORSCRAPER



WORKHORSE 1000 PROPANE - SPECIAL FEATURES

1. Additional Blade Storage:
Hidden in Foot Plate.
2. Wrench Storage Location:
Hidden in Foot Plate



1. Large Operator Safety
Foot Rest Platform
2. Front Facing LED Light
Bars x 2



1. Hydraulic Blade System - Dual Lift & Tilt
- Operator Stays Seated
2. Extra Large 6 Gallon Hydraulic Tank
3. Comfort Seat With Seat Shock Absorption
4. Forklift Tubes
5. Tie Downs: D-Rings - 2 Front & 2 Rear
6. "Operator Presence" Seat Switch
7. Rear Wheel Slots - Easy Hub Maintenance
8. Ergonomic Zero Turn Mower Style Control
Handles
9. Blade Holder Rotates Eliminating Frequent
Blade Replacement
10. Fits Through Any Standard Width Doors (30")
11. Easy Weight Removal Allowing Access In
Most Elevators With Low Weight Capacity
(Empty Weight Of Machine = 1300lbs)
12. Front Hydraulics Are Removable To Fit Into
Smaller Than Average Elevators (51")

1. Tie Downs: D-Rings x 4
2. Drive Tires: Traction
3. Drive Tire Diameter: 16"
4. Rear Wheel Debris Scraper



1. Extra Large Heavy Duty Caster allows for easy self
transportation on every jobsite (No Dolly Needed)



WORKHORSE 1000 PROPANE - SPECIAL FEATURES



1. Keyless Start: No dead battery, damaged or lost keys
2. Emergency Shut-off Button



1. Phone Holder with USB Charge Port
2. Throttle Switch



1. Clam Shell Enclosure Allows for Easy Maintenance Access
2. Rear Wheel Debris Scraper
3. Onboard Fire Extinguisher
4. Warranty : 1 Year

1. Fuel: Propane - 20lb Gas Grill Style Tank (Easily Obtainable)
2. Propane Tank is Enclosed



1. Dual LED Rear Lights
2. Removable Rear Weight Rack



WORKHORSE 1000 FLOORSCRAPER SPECIFICATIONS

Length: 51"
Width: 30"
Height: 58"
Empty Weight: 1300 lbs
Standard Weight: 2990 lbs
Removable Weight: 1690 lbs
Maximum Weight: 2990 lbs

Power-Plant Info:

Engine Mfg: Kohler
Horse Power: 24HP Air Cooled Engine
Exhaust Purifier
Meets tier 2 CARB & EPA Emissions Standards

Fuel Info:

Fuel: Propane (Vapor)
Propane Tank : 20lb Gas Grill Tank Style (Easily Obtainable)
Propane Tank is Enclosed

Electrical Info:

Ignition: Keyless Start
Forward Lights: Dual LED Light Bar
Rear Lights: Dual LED Lights
Onboard Phone Charger: USB Port
"Operator Presence" Seat Switch
Hour Meter
Emergency Shut-off Button

Drivetrain Info:

Drive Tires: Traction
Drive Tire Diameter: 16"
Rear Wheel Drive
Caster Diameter: 8" H - 3000lb Capacity

Hydraulics Info:

Blade Lift & Tilt: Hydraulic Dual Lift & Tilt Blade System
Hydraulic Tank : Extra Large 6 Gallon Capacity
Steering Style: Zero Turn Mower Style
Transmission : Hydrostat Drive

Operation Info:


Ground Speed: 460 ft/min
Productivity (Ft/Sq/Hr): Fully Dependent on Job Conditions
Blade Holder: Patented 360 Degree Swivel Design
Max Blade Width: Up to 26"
Forklift Tubes
Tie Downs: D-Rings
Onboard Fire Extinguisher

Operator Comfort Info:

Transport Mode: Extra Large Caster Design Allows for Self Transportation
Control Handles: Ergonomic Zero Turn Mower Style
Keyless Start: No Dead Battery, Damaged or Lost keys
Additional Blade Storage: Hidden in Foot Plate
Wrench Storage Location: Hidden in Foot Plate
Seat Shock Absorption
Large Operator Safety Foot Rest Platform
Phone Holder with USB Charging
Cup Holder

Maintenance Info:

Easy Maintenance Access : Clam Shell Enclosure Design
Rear Wheel Debris Scraper
Protected Rear Wheel Drive Axle
Rear Wheel Slots
Warranty : 1 Year



ONSITE EQUIPMENT MANUFACTURING

1090 Atlantic Drive,
West Chicago, IL 60185
630.293.4000
www.floorscrapers.com